MULLION MATE®

PARTITION GAP CLOSURES

The Original | 35+ Years of Proven Performance.



- Sound Reduction
- Fire Protection
- Lifetime Warranty
- Seismic Movement
- Thermal Movement
- Wind Sway Movement

Designed for Movement. Engineered for Performance.

Mullion Mate® is a gap closure solution that fits seamlessly between the exterior building envelope and interior partition walls, creating the appearance of a continuous mullion while accommodating building movement, acoustical performance and fire resistance.

Lateral movement in buildings is caused by seismic, thermal and wind sway activity. Gordon's Mullion Mate® products allow lateral movements, while providing an acoustical barrier. Fire-rated options are available too.

Mullion Mate® accommodates building lateral movement in both directions up to 1-15/16" without damage to surrounding glazing or drywall surfaces.







Mullion Mate® Pro

- Closes Gaps from 4" up to 8-1/2"
- Lateral Movement up to 1-15/16"
- U.S. Patent No. 12,024,881; 12,442,181
- STC Rating up to 62



Mullion Mate® Pro FR

- Closes Gaps from 4" up to 8-1/2"
- Lateral Movement up to 1-15/16"
- 2-Hr Fire-Rated per UL-2079 and CAN/ULC-S115
- U.S. Patent Pending
- STC Rating up to 62



Mullion Mate® Plus (Against the Glass)

- Closes Gaps from 2" up to 13-1/2"
- Lateral Movement up to 1-15/16"
- U.S. Patent No. 12,442,181
- STC Rating up to 58

Fast Installation & Flexible Options

Mullion Mate® ships factory assembled for quick and efficient installation, allowing it to be installed in just minutes. Standard lengths and finishes are available for quick shipping, while custom finishes and cut-to-length options provide added flexibility to meet project requirements. Together with end caps, Mullion Mate® offers a convenient one-stop solution for your project needs.



Finish Options

- Clear Anodized
- Paintable
- AAMA 2604 Powder Coating Finishes





Mullion Mate® Plus (Against the Mullion)

- Closes Gaps from 2” up to 13-1/2”
- Lateral Movement up to 1-15/16”
- U.S. Patent No. 12,442,181
- STC Rating up to 41



Mullion Mate® Snap

- Closes Small Gaps from 1” up to 2”
- U.S. Patent No. 12,209,407



Drywall Partition End Caps

- Extruded or brake-formed to the required partition wall width
- Standard sizes from 3-3/4”-8-1/2”
- Custom sizes available

MULLION MATE
PARTITION GAP CLOSURES

FAST-TRACK YOUR PROJECTS WITH QUICK SHIP PROGRAM.





Snap: U.S. Patent No: 12,209,407 | Plus: U.S. Patent No: 12,442,181 | Pro: U.S. Patent No: 12,024,881; 12,442,181 | Pro FR: U.S. Patent Pending

Close The Gap. Perfect The Performance.

Standard profiles ready when you need them! Reduced lead times!

Quick Ship





MULLION MATE
PARTITION GAP CLOSURES

Mullion Mate®

Tested! Third-Party Certified!

ASTM INTERNATIONAL

berkeley analytical COMPLIANCE TESTED

TESTED BY RIVERBANK ACOUSTICAL LABORATORIES

INTERTEK ETL LISTED US Intertek

MULLION MATE®
PARTITION GAP CLOSURES

MullionMate.com | 800.747.8954

sales@mullionmate.com

MM.07.21.2026