





NOTE: EACH KIT INCLUDES, GASKET, WALL TRIM, ACOUSTICAL CAULK AND FIRE-RATED INSULATION.
ACOUSTICAL CAULK IS PROVIDED AS AN OPTIONAL ACCESSORY AND IS SUPPLIED IN A CLEAR, PAINTABLE FINISH.


DETAIL AT FLOOR


DETAIL AT CEILING

MULLION MATE® PRO FR IS PATENT PENDING.

GORDON®
ARCHITECTURAL+ENGINEERED SOLUTIONS
5023 Hazel Jones Rd.
Bossier City, LA 71111
800.747.8954
GORDON-INC.COM
sales@gordon-inc.com

PARTITION GAP CLOSURES
MULLION MATE PRO FR (2 HR)
WALL-TO-GLASS ISO VIEW





NOTE: EACH KIT INCLUDES, GASKET, WALL TRIM, ACOUSTICAL CAULK AND FIRE-RATED INSULATION. ACOUSTICAL CAULK IS PROVIDED AS AN OPTIONAL ACCESSORY AND IS SUPPLIED IN A CLEAR, PAINTABLE FINISH.


DETAIL AT FLOOR

DETAIL AT CEILING

MULLION MATE® PRO FR IS PATENT PENDING.

GORDON®
ARCHITECTURAL+ENGINEERED SOLUTIONS
5023 Hazel Jones Rd.
Bossier City, LA 71111
800.747.8954
GORDON-INC.COM
sales@gordon-inc.com

PARTITION GAP CLOSURES
MULLION MATE PRO FR (2 HR)
WALL-TO-GLASS (NOTCHED) ISO VIEW



MULLION MATE® PRO FR SIZES	
PRODUCT	"A"
MULLION MATE® PRO FR - 4	4" TO 5 7/16"
MULLION MATE® PRO FR - 5.5	5 1/2" TO 6 15/16"
MULLION MATE® PRO FR - 7	7" TO 8 1/2"

WALL-TO-GLASS APPLICATION

MULLION MATE® PRO FR (2 HR) IS INSTALLED AT THE INTERSECTION OF AN INTERIOR WALL AND AN EXTERIOR WALL. INSTALL THE GASKET AGAINST THE GLASS SIDE FIRST. CARE SHOULD BE GIVEN TO PROPERLY POSITION GASKET PRIOR TO CONTACTING GLASS.

NOTE: EACH KIT INCLUDES, GASKET, WALL TRIM, ACOUSTICAL CAULK AND FIRE-RATED INSULATION. ACOUSTICAL CAULK IS PROVIDED AS AN OPTIONAL ACCESSORY AND IS SUPPLIED IN A CLEAR, PAINTABLE FINISH.

MULLION MATE® PRO FR IS PATENT PENDING.

GORDON®
ARCHITECTURAL+ENGINEERED SOLUTIONS
5023 Hazel Jones Rd.
Bossier City, LA 71111
800.747.8954
GORDON-INC.COM
sales@gordon-inc.com

PARTITION GAP CLOSURES
MULLION MATE PRO FR (2 HR) SECTION